

Hearing Aid Compliance Information

To better serve our customers, 100% of the devices sold by Union Wireless are Hearing Aid Compliant. Below is the list of the phones that we currently sell.

Model Number	Description	ANSI Standard	HAC Rating	FCC ID
MG464LL/A	APPLE IPHONE 17	Compliant	Compatible	BCG-E8947A
MG7M4LL/A, MG7Q4LL/A	APPLE IPHONE 17 PRO	Compliant	Compatible	BCG-E8949A
MFJ4LL/A, MFXM4LL/A, MFXQ4LL/A	APPLE IPHONE 17 PRO MAX	Compliant	Compatible	BCG-E8950A
MDD04LL/A, MDDF4LL/A, MDDJ4LL/A	APPLE IPHONE 16e	Compliant	Compatible	BCG-E8725A
SM-A166UZXAXAG	SAMSUNG GALAXY A16	Compliant	Compatible	A3LSMA166U
SM-A176UZXAXAG	SAMSUNG GALAXY A17	Compliant	Compatible	A3LSMA176U
SM-S931UZXAXAG	SAMSUNG GALAXY S25	Compliant	Compatible	A3LSMS931U
SM-S936UZXAXAG, SM-S936ULBEXAG	SAMSUNG GALAXY S25 PLUS	Compliant	Compatible	A3LSMS926U
SM-S938UZXAXAG, SM-S938UZBEXAG	SAMSUNG GALAXY S25 ULTRA	Compliant	Compatible	A3LSMS938U
SM-S942UZXKEXAG	SAMSUNG GALAXY S26	Compliant	Compatible	A3LSMS942U
SM-S947UZXAXAG, SM-S947UZXKEXAG	SAMSUNG GALAXY S26 PLUS	Compliant	Compatible	A3LSMS947U
SM-S948UZXAXAG, SM-S948UZXKEXAG	SAMSUNG GALAXY S26 ULTRA	Compliant	Compatible	A3LSMS948U

2019 ANSI Standard

The new standard improves the measurement of potential hearing aid interference and, as a result, improves the listening experience for those who use hearing aids

In addition, the new standard:

- Covers new technologies and devices and expands the frequency range from 6 GHz down to 614 MHz rather than down to 698 MHz under the 2011 ANSI Standard
- Eliminates the numerical M/T rating system which confused consumers and replaces it with essentially a pass/fail system
- Reduces testing burdens by allowing certain simple tests to be done to determine compatibility with acoustic coupling while maintaining an exemption from radiofrequency testing for low power air interfaces
- Harmonizes with other international hearing aid standards which helps reduce regulatory burdens for hearing aid manufacturers

To learn more, please visit: [Federal Communications Commission 2019 ANSI Standard Report and Order \(fcc.gov\)](#)

Find more information on devices with accessibility features at the Global Accessibility Reporting Initiative

The Global Accessibility Reporting Initiative (GARI) is a project run by the Mobile & Wireless Forum (MWF), an international association of companies with an interest in mobile and wireless communications. They help consumers to find a device with the accessibility features that work best for them. To learn more, please visit: <http://gari.info>

Background

The Hearing Aid Compatibility Act of 1988 (HAC Act) generally requires that the Federal Communications Commission (FCC) ensure that telephones manufactured or imported for use in the United States after August 1989, and all "essential" telephones, are hearing aid-compatible. When Congress passed the Act in 1988, it specifically exempted "telephones used with public mobile services" (wireless telephones) from these requirements. To ensure that the HAC Act kept pace with the evolution of telecommunications, however, Congress granted the FCC a means to revoke or limit the exemption for wireless telephones. On August 14, 2003, the FCC determined that continuation of a complete exemption for wireless telephones would have an adverse effect on individuals with hearing disabilities, and that limiting the exemption was technologically feasible and in the public interest. Based upon these findings, the FCC established rules for the hearing aid compatibility of digital wireless phones.

For more information about compatibility rules visit

<https://www.fcc.gov/hearing-aid-compatibility-wireless-telephones>

What Makes a Phone Hearing Aid Compatible?

Hearing aids operate in one of two modes – acoustic coupling or telecoil coupling. Hearing aids operating in acoustic coupling mode receive and amplify all sounds surrounding the user; both desired sounds, such as a telephone’s audio signal, as well as unwanted ambient noise. Hearing aids operating in telecoil coupling mode avoid unwanted ambient noise by turning off the microphone and receiving only signals from magnetic fields generated by telecoil-compatible telephones. In the United States, about 25-30 percent of hearing aids contain telecoils, which generally are used by individuals with profound hearing loss.

A telecoil is a small, tightly-wrapped piece of wire inside the hearing aid that, when activated, picks up the voice signal from the electromagnetic field that leaks from compatible telephones. While the microphone on a hearing aid picks up all sounds, the telecoil will only pick up an electromagnetic signal from the telephone. Thus, users of telecoil-equipped hearing aids are able to communicate effectively over the telephone without feedback and without the amplification of unwanted background noise. Telecoils can only fit in two styles of hearing aids: “In-The-Ear” and “Behind-The-Ear” aids. Smaller hearing aids are not large enough to fit the telecoil. Many people report feedback (or squealing) when they place a telephone next to their hearing aid. When placed correctly, telecoils can eliminate this feedback because the hearing aid microphone is turned off and the hearing aid only amplifies the signal coming through the telecoil. Some hearing aid users may need to place the telephone slightly behind the ear rather than directly over the ear to obtain the clearest signal.

The ability to make wireless telephones compatible with hearing aids also depends in part on other technical and design choices made by carriers and manufacturers. For example, for technical reasons, it is easier to meet hearing aid compatibility standards on systems that use a Code Division Multiple Access (CDMA) air interface (including Verizon Wireless and Sprint Nextel) than on systems that use a Global System for Mobile (GSM) (such as AT&T Mobility and T-Mobile) air interface. It is also easier to meet hearing aid compatibility standards in phones with clamshell (or “flip”) designs than in “candy bar” or other styles. Therefore, consumers may generally find more models that meet hearing aid compatibility standards available from CDMA carriers and in clamshell designs.

Hearing Aid Compatible phones have not been tested for Voice over IP applications (VoIP) or voice calls that use a Wi-Fi network connection instead of a wireless cellular network.

Hearing aid complaint phones have been tested and rated for use with hearing aids for some of the wireless technologies it uses. However, there may be some newer wireless technologies used in this phone that have not been tested yet for use with hearing aids. It is important to try the different features of this phone thoroughly and in different locations, using your hearing aid or cochlear implant, to determine if you hear any interfering noise. Hearing Aid Compatible phones are made available at Union Wireless retail stores for customers to conduct a physical test of the phone to ensure compatibility with your hearing aid or cochlear implant. Consult your local Union Wireless retail store or the manufacturer of this phone for more information on hearing aid compatibility. If you have questions about return or exchange policies, consult your local Union Wireless retail store.

Hearing Aid Compatible phones and the 2011 ANSI Standard.

The FCC has adopted the American National Standards Institute (ANSI) technical standard C63.19 (the 2011 ANSI Standard) to define and measure the hearing aid compatibility of digital wireless handset models operating in frequency range of 698 MHz – 6 GHz.

Hearing Aid Compliant phones listed as ANSI 2007 tested having only been tested and designated as hearing aid-compatible under the ANSI 2007 Standard; they have not been tested for hearing aid compatibility under ANSI 2011 Standard.

Hearing Aid Compliant phones listed as ANSI 2011 tested having only been tested and designated as hearing aid-compatible under the ANSI 2011 Standard; they have not been tested for hearing aid compatibility under ANSI 2007 Standard.

It is important to try the different features of this phone thoroughly and in different locations, using your hearing aid or cochlear implant, to determine if you hear any interfering noise. Hearing Aid Compatible phones are made available at Union Wireless retail stores for customers to conduct a physical test of the phone to ensure compatibility with your hearing aid or cochlear implant. Consult your local Union Wireless retail store or the manufacturer of this phone for more information on hearing aid compatibility. If you have questions about return or exchange policies, consult your local Union Wireless retail store.

What Are the FCC’s Requirements for Hearing Aid Compatibility for Digital Wireless Telephones?

Analog wireless telephones usually do not cause interference with hearing aids. Digital wireless telephones, on the other hand, sometimes cause interference because of electromagnetic energy emitted by the telephone’s antenna, backlight, or other components. Therefore, the FCC has adopted specific hearing aid compatibility rules for digital wireless telephones.

The standard for compatibility of digital wireless phones with hearing aids is set forth in American National Standard Institute (ANSI) standard C63.19. ANSI C63.19 contains two sets of standards: an “M” rating (originally a “U” rating) from one to four for reduced radio frequency (RF) interference to enable acoustic coupling with hearing aids that do not operate in telecoil mode, and a “T” rating (originally a “UT” rating) from one to four to enable inductive coupling with hearing aids operating in telecoil mode. A digital wireless handset is considered hearing aid-compatible for acoustic coupling if it meets an “M3” (or “U3”) rating under the ANSI standard. A digital wireless handset is considered hearing aid-compatible for inductive coupling if it meets a “T3” (or “U3T”) rating under the ANSI standard.

In addition to rating wireless phones, the ANSI standard also provides a methodology for rating hearing aids from M1 to M4, with M1 being the least immune to RF interference and M4 the most immune. To determine whether a particular digital wireless telephone is likely to interfere with a particular hearing aid, the immunity rating of the hearing aid is added to the rating of the telephone. A sum of four would indicate that the telephone is usable; a sum of five would indicate that the telephone would provide normal use; and a sum of six or greater would indicate that the telephone would provide excellent performance with that hearing aid.

Are There Labeling and Testing Requirements?

Packages containing hearing aid-compatible handsets must be explicitly labeled and must include detailed information in the package or product manual. Wireless service providers must offer a means for consumers to test hearing aid-compatible handsets in their owned or operated retail stores.

Some hearing aid manufacturers are voluntarily including information about hearing aid compatibility with their products. Wireless service providers are also offering similar information in their owned or operated retail stores and are training employees to help persons with hearing aids. This information and the package labeling required by the FCC help persons with hearing aids make fully informed decisions about purchasing their hearing aid-compatible wireless phones. Beginning on January 15, 2009, manufacturers and service providers will be required to post information about their hearing aid-compatible handset offerings on their Web sites.

Filing a Complaint with the FCC

If you have a problem using a hearing aid with a digital wireless phone that is supposed to be hearing aid-compatible, first try to resolve it with the equipment manufacturer or your wireless service provider. If you can't resolve the issue directly, you can file a complaint with the FCC. There is no charge for filing a complaint. You can file your complaint using an on-line complaint form found at support.fcc.gov/complaints.htm. You can also file your complaint with the FCC's Consumer Center by e-mailing fccinfo@fcc.gov; calling 1-888-CALL-FCC (1-888-225-5322) voice or 1-888-TELL-FCC (1-888-835-5322) TTY; faxing 1-866-418-0232; or writing to:

Federal Communications Commission
Consumer & Governmental Affairs Bureau
Consumer Inquiries and Complaints Division
445 12th Street, S.W.
Washington, DC 20554.

What to Include in Your Complaint

The best way to provide all the information the FCC needs to process your complaint is to complete fully the on-line complaint form. When you open the on-line form, you will be asked a series of questions that will take you to the particular section of the form you need to complete. If you do not use the on-line complaint form, your complaint, at a minimum, should indicate:

- Your name, address, e-mail address, and phone number where you can be reached;
- Preferred format or method of response (letter, fax, voice phone call, e-mail, TRS, TTY, ASCII text, audio recording, or Braille);
- That your complaint is about hearing aid compatibility for a digital wireless telephone;
- The make and model number of the equipment or device you are complaining about;
- The name, address, telephone number (if known) of the company or companies involved in your complaint; and
- A brief description of your complaint and the resolution you are seeking, and a full description of the equipment or service you are complaining about, including date of purchase, use, or attempt to use.